

**MAROOCHYDORE/SUNSHINE COAST****ELEV 15****AVFAX CODE 4005**

QLD

UTC +10

YBMC


S 26 36.2

E 153 05.5

VAR 11 DEG E

CERT

AD OPR Sunshine Coast Regional Council, Locked Bag 72, Nambour, QLD, 4560. PH 07 5453  
1500: AH 3830 5251, FAX 07 5453 1511, ARO 0419 658 272.

**REMARKS**

- AD Charges: see web site  
<http://www.sunshinecoastairport.com.au/documents/2008/AircraftFeesCharges.pdf> or contact AD OPR.
- This AD is a Security Controlled Airport.

**HANDLING SERVICES AND FACILITIES**

SHELL - Maroochydore Airport Terminal Services Pty Ltd: D 2200-0600. Phone/FAX 07 5448 7114, AH 0408 711968. AVGAS, JET A1.

**General**

AD OPR does not provide marshalling services.

**PASSENGER FACILITIES**

PT/TX/HC/BU/LG/RF/WC/ME

**RESCUE AND FIREFIGHTING SERVICES**

Category 6 - HO as per current NOTAM 131.0 MHz AVBL HO

Water Rescue Services AVBL

**METEOROLOGICAL INFORMATION PROVIDED**

- TAF CAT B.
- AWIB - Phone 07 5450 6032 or 119.8 (Outside TWR HR).

**PHYSICAL CHARACTERISTICS**

12/30	117	21c	5700/345(50PSI) Sealed	WID 18	RWS 90
18/36	183	59a	PCN 46 /F /B /1500 (218PSI) /T Grooved	WID 30	RWS 150

**AERODROME AND APPROACH LIGHTING**

RWY 18/36	MIRL	PAL 122.3		SDBY PWR AVBL
RWY 18	PAPI	PAL 122.3	3.0 DEG45FT	SDBY PWR AVBL
RWY 36	PAPI	PAL 122.3	3.0 DEG50FT	SDBY PWR AVBL

**OTHER LIGHTING**

ABN 10 WG

**ATS COMMUNICATIONS FACILITIES**

SMC	MAROOCHY GROUND	121.1
ACC	BRISBANE CENTRE	123.0(1)
ATIS	MAROOCHY	114.2(2) 119.8(3)
TWR	MAROOCHY TOWER (4)	124.4
FIA	BRISBANE CENTRE	129.0 on ground (outside TWR HR).

(1) Circuit area (Outside TWR HR)

(2) H24.

(3) TWR HR only.

(4) TWR HR - Refer to current NOTAM. Phone 07 5448 7662. TWR HR may change at short notice, check status of airspace with ATS or Maroochy ATIS.

1. Maroochy TWR operates Maroochydhore Class D airspace 4500FT AMSL & BLW DRG TWR HR. CTC TWR for a clearance in this airspace.
2. Outside TWR HR, Maroochydhore Class C & D airspace 8500FT AMSL & BLW reclassified Class G, and Maroochydhore Class C airspace above 8500FT AMSL reclassified Class E.
3. Brisbane Centre 129.0 operates Maroochydhore Class C airspace DRG TWR HR.
4. FIA on ground COMS may be available with ATS dependent on ACFT location and building shielding.

**RADIO NAVIGATION AND LANDING AIDS**

VOR	MC	114.2	S 26 35.9	E 153 05.4	(2)
DME	MC	114.2/89X	S 26 35.9	E 153 05.4	(3)
NDB	MC	380	S 26 35.5	E 153 05.5	Range 50 (HN 50) (1)

(1) Voice AVBL EMERG - 003/0.6 to ARP.

(2) Coverage reduced in minor arc 169 to 340 due terrain shielding. Radial 169 not to be used outside 40NM. DME ARR is not AVBL on MC VOR 340 radial. Bending and scalloping on 224 radial at low altitudes.

(3) Antenna ELEV 25FT.

**LOCAL TRAFFIC REGULATIONS**

1. Right hand circuits required when OPR RWY 36 except as directed by ATC.
2. Pilots to exercise caution on TWY D, BTN G & B2 and on TWY E, BTN M & J, due to lack of visibility FM the Control TWR.
3. RWY 18/36 - ACFT ABV 23,000KG MTOW to make 180DEG MAX RAD turns following yellow line at RWY end turning nodes.
4. TRAINING FLIGHTS
  - a. Instrument Approaches other than Maroochydhore let downs NOT to be planned. Pre arrangement for all NAV aid training required.
  - b. Pilots are advised to plan NAV AID training prior to 0100UTC and after 0400UTC. Significant delays can be expected for NAV AID training BTN 0100-0400UTC.
  - c. Circuit training permitted only BTN HR of 2100 and 1200 UTC.
  - d. Local helicopter training flights operate generally west of RWY 18/36 not above 500FT in an area referred to as the Helicopter Training Area.
  - e. Pad Delta and Pad Echo refer to helicopter markings on Taxiways D and E.
5. PARKING

- a. Due to security requirements & shortage of apron space, all ACFT ABV 5700KG and light jet and turbine ACFT which are not RPT, must obtain prior approval of AD OPR if they are programmed to stage through or remain at Maroochydore. To obtain such approval 48 HR notice is required; Phone 07 5453 1500, AH 3830 5251.
- b. GA ACFT BLW 5700KG not permitted on main apron. Access to the Southern GA apron is via TWY D & access to the Western GA apron is via TWY E.
- c. ACFT accessing RPT apron FM RWY 18/36 for:
  - (i) Bay 1 & 2 use TWY BRAVO-2;
  - (ii) Bay 3 & 4 use TWY BRAVO-1.
- d. ACFT ABV 5700KG RQ prior approval of Sunshine Coast Regional Council to OPR BTN HR of 2200 and 0700 LMT.
- e. ACFT ABV 5700KG are restricted to main apron and TWY FM main apron directly to RWY 18/36.


## FLIGHT PROCEDURES

### Outside TWR HR:

1. ALL ACFT OPR in circuit area are to BCST position and RWY being used when an inbound call is received FM an ACFT joining the circuit or a call is received FM an ACFT about to taxi; and
2. CAUTION - Due to VIS restrictions FM THR RWY 18 & 36 to THR RWY 12, pilots are to ensure no conflicts exist prior to TKOF.

### CTAF - AFRU 124.4(R)

Outside TWR HR.



## NOISE ABATEMENT PROCEDURES

Noise Abatement Procedures (NAP) apply. Refer AIP DAP.

## ADDITIONAL INFORMATION

Class D airspace is in close proximity to aerodromes in Class G airspace. (See Airspace Profile diagram).

## CHARTS RELATED TO THE AERODROME

1. WAC 3340.
2. Also refer to AIP Departure & Approach Procedures.

This page is intentionally blank.